



QUATERNARY GEOCHRONOLOGY

Quaternary Geochronology 1 (2006) 237-240

www.elsevier.com/locate/quageo

Short communication

A note on reporting radiocarbon

J. van der Plicht^{a,b,*}, A. Hogg^c

^aCenter for Isotope Research, Groningen University, Groningen, Netherlands

^bFaculty of Archaeology, Leiden University, Leiden, Netherlands

^cRadiocarbon Dating Laboratory, University of Waikato, Hamilton, New Zealand

Received 16 May 2006; received in revised form 21 July 2006; accepted 31 July 2006 Available online 18 September 2006

Abstract

Recommended reporting practice concerning ¹⁴C dates, relevant for Quaternary Geochronology, is given in this report. © 2006 Elsevier Ltd. All rights reserved.

Keywords: Radiocarbon; 14C; Dating; Chronology

Reporting practice of ¹⁴C dates can be found in an original publication of Stuiver and Polach (1977). This work has been extended and corrected later by Mook and van der Plicht (1999). In the latter publication, several new "rational" symbols were introduced, in an attempt to end confusion that developed over time. For an in-depth treatise we refer to these two seminal publications. Here we summarize the ¹⁴C practice most relevant for the Ouaternary Sciences.

First we introduce the ¹⁴C activity ratio ¹⁴a. This is defined as the ¹⁴C concentration in the sample material, relative to the ¹⁴C concentration or ¹⁴C activity in the reference material:

$$^{14}a = \frac{^{14}A[sample]}{^{14}A[reference]}. (1)$$

Hence the ¹⁴a value ranges between 0 (background or infinite age) and 1 (modern value), or equivalently 0% and 100%. This is equivalent to pM or pMC (percent Modern Carbon), which is an ambiguous expression—see Mook and van der Plicht (1999).

E-mail address: j.van.der.plicht@rug.nl (J. van der Plicht).

The relative ¹⁴C content is defined as

$$^{14}\delta = ^{14}a - 1\tag{2}$$

which is expressed in per mill (‰) deviation from the reference. This is analogous to stable isotope practice ($^{13}\delta$, $^{18}\delta$, etc).

The reference material has a ¹⁴C activity of 13.56 dpm/gC or 0.226 Bq/gC. It is based on 95% of the value of the specific activity of the original NBS (now NIST) oxalic acid (HOx1) in the year AD 1950 (Karlén et al., 1966). A secondary oxalic acid standard (HOx2) is now in common use in most ¹⁴C laboratories. It has a defined activity ratio compared with the Ox1 standard of 1.2933±0.001 (Mann, 1983).

For the stable isotope ¹³C, the reference is VPDB (Gonfiantini, 1984).

Mass dependent processes in nature and in the laboratory can cause isotopic fractionation. For $^{14}\mathrm{C}$ measurements, this changes the $^{14}\mathrm{C}$ content in samples producing errors in $^{14}\mathrm{C}$ ages if not corrected for. Since fractionation occurs to both $^{13}\mathrm{C}$ and $^{14}\mathrm{C}$ and because the relationship between the fractionation for $^{13}\mathrm{C}$ and $^{14}\mathrm{C}$ is known, the $^{13}\delta$ value of the sample material to be dated can be used for fractionation correction.

It has become common practice to normalize 14 C results for deviations of the measured $^{13}\delta$ from -25%.

^{*}Corresponding author. Center for Isotope Research, Groningen University, Groningen, Netherlands. Tel.: +31503634730; fax: +31503634738.

The ¹⁴C activity and relative content, as defined above, therefore need to be corrected for isotopic fractionation by normalizing (subscript N) to ¹³ $\delta_N = -25\%$:

$${}^{14}a_N = {}^{14}a \left[\frac{1 + {}^{13}\delta_N}{1 + {}^{13}\delta} \right]^2 = {}^{14}a \left[\frac{0.975}{1 + {}^{13}\delta} \right]^2$$
 (3)

and

$$^{14}\delta_N = ^{14}a_N - 1. \tag{4}$$

The 14 C activity ratio ^{14}a originates from Eq. (1), where A is the commonly used symbol for radioactivity expressed in Becquerel (Bq) (e.g., Friedlander et al., 1981). Recently, the symbol F^{14} C is advocated (Reimer et al., 2004a) which is equivalent to $^{14}a_N$. This new symbol is more "popular" and more intuitive, and therefore also followed here:

$$F^{14}C = {}^{14}a_N. (5)$$

Again, this symbolizes the activity ratio with respect to the standard, and includes correction for isotopic fractionation. It obviously also includes correction for background activity.

There are detailed issues involved with the relatively simple expression (3)—like the fact that the original Ox1 standard is normalized to its own $^{13}\delta$ value of -19% (Stuiver and Polach, 1977), or the fact that the value of the exponent in Eq. (3) is only approximately 2 (Mook and van der Plicht, 1999; Donahue et al., 1990). These details are usually not relevant for users of radiocarbon and are not further discussed here.

Radiocarbon or 14 C ages T are based on this measured and normalized $^{14}a_N$ value:

$$T = -8033 \ln(^{14}a_N) = -8033 \ln(F^{14}C)$$
 (6)

which simply follows from the exponential radioactive decay law, using a half-life value $T_{1/2} = 5568$ years:

$$\frac{T_{1/2}}{\ln(2)} = 8033. \tag{7}$$

The original half-life value as introduced by Libby (1952) is used by convention. A more accurate half-life has been measured as 5730 ± 40 years (Godwin, 1962).

Note that very recently the latter value has come under discussion (Broecker, 2005). But this does not influence the radiocarbon dates in BP since these are conventional.

The ¹⁴C ages thus calculated are reported in BP or "Before Present" and are termed "Conventional Radiocarbon Ages". Summarizing, this encompasses (1) measured relative to the Ox1 standard radioactivity, (2) corrected for isotopic fractionation to $^{13}\delta = -25\%$ (3)

calculated using the conventional half-life value of $T_{1/2}$ = 5568 years and (4) the assumption of constancy of ¹⁴C atmospheric level during the past.

The use of the word "Present" in the unit "BP" can cause confusion because "Present" in this term corresponds to the standard activity and 1950 AD not the present day.

It is important to realize that the timescale for conventional ¹⁴C ages is defined and is referred to as ¹⁴C years (expressed in BP). This time scale needs to be calibrated in order to obtain calendar ages. This calibration procedure takes into account both the natural ¹⁴C variations and the incorrect half-life. Calibration curves are obtained by measuring the ¹⁴C content of samples, dated absolutely by an independent method preferably absolute, such as dendrochronology. For calibration curves we refer to the most recent calibration issue of the journal *Radiocarbon* (vol. 46 no. 3). The present Northern Hemisphere calibration curve is Intcal04 (Reimer et al., 2004b). For marine data, calibration curves need to incorporate the ¹⁴C reservoir effect; a marine calibration curve has been developed (Marine04; Hughen et al., 2004). Both curves cover the time range back to 26,000 years. Beyond 26,000, no calibration curve has been recommended thus far (Notcal04; van der Plicht et al., 2004). Southern Hemisphere dates younger than 11,000 cal BP are calibrated using SHCal04 (McCormac et al., 2004). It has been recommended that Southern Hemisphere samples older than this should not be calibrated because of the uncertainties associated with the interhemispheric offset before the Holocene (McCormac et al., 2004).

Calibrated ¹⁴C dates are reported in calAD or calBC (Mook, 1986). In addition, cal BP is used which means "calibrated or calendar years before 1950 AD". Unfortunately, cal BP is also widely used for chronologies of records based on ice cores, marine cores; ESR, U-series and luminescence dates, etc. Here "Present" not necessarily corresponds to 1950. Thus, these cal BP's are different from the ¹⁴C one, which is the only one clearly defined (i.e. with respect to 1950 AD). For this reason, the NGRIP team recently proposed the use of "b2k" (before 2000) as an alternative (Rasmussen et al., 2006). This becomes necessary because the difference between "Present" and "Present = 1950" obviously increases and is now well within the temporal resolution of the dating

A special convention is needed for ^{14}C ages close to the dating limit of 50,000 years. For ^{14}C ages which are not so old, the measured activity plus error $F^{14}\text{C} \pm \sigma(F^{14}\text{C})$ easily translates into an age $T \pm \sigma(T)$, using Eq. (6). For old samples, however, the errors in T become asymmetric. In addition, activities measured as e.g. $0.01 \pm 0.10\%$ include negative values that are obviously without physical meaning. This corresponds to ages that are infinite for ^{14}C . For this reason, the following convention has been agreed, based on the sigma value $\sigma(F^{14}\text{C})$ of the measured ^{14}C

activity F¹⁴C (Olsson 1989):

Note that also when $\sigma(F^{14}C) < F^{14}C < 2\sigma(F^{14}C)$, an age limit should be given despite the fact that $\sigma^+(T)$ and $\sigma^-(T)$ can be calculated. The reason is that for these cases $2\sigma(T)$ is infinite because $F^{14}C - 2\sigma(F^{14}C)$ is negative.

These expressions are stated at the 1σ (68% probability) level. When the 2σ (95% probability) level is needed, the errors for the age can be easily calculated by replacing the 1σ by 2σ in the given expressions for T.

In principle, all errors in 14 C ages T are asymmetric. However, in practice this can be ignored for the majority of 14 C dates. For relatively young dates, the effect is insignificant; for older dates (a few half-lives) the effect is not relevant when dates and errors are rounded to their significant digits; only for old dates close to the detection limit, the effect becomes significant.

A practical example of an analysis using ¹⁴C measurements close to the dating limit can be found in Mol et al. (2006).

Sometimes we need to know the original 14 C content of the sample in the year of the sample origin (such as the year a tree ring was formed). As the measured 14 C content is valid for the year 1950, it has to be corrected for radioactive decay from the year of origin (t_i) to 1950 using the physical (not: conventional) half-life. This yields

$${}^{14}\delta_N^i = {}^{14}a_N^i - 1, \tag{8}$$

where

$${}^{14}a_N^i = {}^{14}a_N \exp\{-(t_i - 1950)/8267\}$$

= F¹⁴C \exp\{cal BP/8267\}, (9)

where $T_{1/2}/\ln(2) = 8267$ for $T_{1/2} = 5730$ yr. This corresponds to Δ or Δ^{14} C, which is widely used in the literature. For a full discussion on the use of the symbols we refer to Mook and van der Plicht (1999).

Thus, this shows the natural ¹⁴C content of a sample, as compared with 1950.

Finally, we note that the definitions given here are valid for all existing ¹⁴C-dating techniques, once fractionation normalization is corrected for. They apply to conventional radiometry (both liquid scintillation spectrometry, LSC and proportional gas counting, PGC) and mass spectrometry (accelerator mass spectrometry, AMS).

For detailed examples and special cases, such as ¹⁴C in the hydrological cycle and dosimetry, we refer to Mook and van der Plicht (1999).

Editorial handling by: R. Grün

References

Broecker, W.S., 2005. Invited talk at the 10th International Conference on Accelerator Mass Spectrometry, Berkeley, USA, 5–10 September.

Donahue, D.J., Linick, T.W., Jull, A.J.T., 1990. Isotope ratio and background corrections for accelerator mass spectrometry radiocarbon measurements. Radiocarbon 32, 135–142.

Friedlander, G., Kennedy, J.W., Macias, E.S., Miller, J.M., 1981. Nuclear and Radiochemistry. Wiley, New York.

Godwin, H., 1962. Half life of radiocarbon. Nature 195, 984.

Gonfiantini, R., 1984. Stable isotope reference samples for geochemical and hydrological investigations. Report of Advisory Group, Vienna.

Hughen, K.A., Baillie, M.G.L., Bard, E., Beck, J.W., Bertrand, C.J.H.,
Buck, C.E., Burr, G.S., Cutler, K.B., Damon, P.E., Edwards, R.L.,
Fairbanks, R.G., Friedrich, M., Guilderson, T.P., Kromer, B.,
McCormac, F.G., Manning, S., Bronk Ramsey, C., Reimer, P.J.,
Reimer, R.W., Remmele, S., Southon, J.R., Stuiver, M., Talamo, S.,
Taylor, F.W., van der Plicht, J., Weyhenmeyer, C.E., 2004. MAR-INE04 marine radiocarbon age calibration, 0–26 cal kyr BP. Radiocarbon 46, 1059–1086.

Karlén, I., Olsson, I.U., Kållberg, P., Killiççi, S., 1966. Absolute determination of the activity of two ¹⁴C dating standards. Arkiv for Geofysik 6, 465–471.

Libby, W.F., 1952. Radiocarbon Dating. University of Chicago Press, Chicago, 124p. (Also published in Phoenix Science Series, second ed., 1965).

Mann, W.B., 1983. An international reference material for radiocarbon dating. Radiocarbon 25, 519–527.

McCormac, F.G., Hogg, A.G., Blackwell, P.G., Buck, C.E., Higham, T.F.G., Reimer, P.J., 2004. SHCal04 Southern Hemisphere calibration 0–1000 cal BP. Radiocarbon 46, 1087–1092.

Mol, D., Tikhonov, A., van der Plicht, J., Kahlke, R.D., DeBruyne, R., van Geel, B., Pals, J.P., de Marliave, C., Reumer, J.F.W., 2006. Results of the Cerpolex/Mammuthus expeditions on the Taimir peninsula, arctic Siberia, Russian federation. Third International Mammoth Conference, Yukon, Canada, May 2003. Quaternary International 142–143, 186–202.

Mook, W.G., 1986. Business meeting (Trondheim). Radiocarbon 28, 799.Mook, W.G., van der Plicht, J., 1999. Reporting ¹⁴C activities and concentrations. Radiocarbon 41, 227–239.

Olsson, I.U., 1989. The ¹⁴C method—its possibilities and some pitfalls, vol. 24. PACT Publications, pp. 161–177.

van der Plicht, J., Beck, J.W., Bard, E., Baillie, M.G.L., Blackwell, P.G., Buck, C.E., Friedrich, M., Guilderson, T.P., Hughen, K.A., Kromer,

- B., McCormac, F.G., Bronk Ramsey, C., Reimer, P.J., Reimer, R.W., Remmele, S., Richards, D.A., Southon, J.R., Stuiver, M., Weyhenmeyer, C.E., 2004. NOTCAL04: comparison/calibration ¹⁴C records 26–50 cal kyr BP. Radiocarbon 46, 1225–1238.
- Rasmussen, S.O., Andersen, K.K., Svenson, A.M., Steffensen, J.P., Vinther,
 B.M., Johnsen, S.J., Clausen, H.B., Larsen, L.B., Bigler, M., Röthlisberger, R., Andersen, M.-L.S., Fisher, H., Ruth, U., Goto-Azuma, K.,
 Hansson, M., 2006. A new Greenland ice core chronology for the last glacial termination. Journal of Geophysical Research 111, D06102.
- Reimer, P.J., Brown, T.A., Reimer, R.W., 2004a. Discussion: reporting and calibration of post-bomb ¹⁴C data. Radiocarbon 46, 1299–1304.
- Reimer, P.J., Baillie, M.G.L., Bard, E., Bayliss, A., Beck, J.W., Bertrand, C.H.J., Blackwell, P.G., Buck, C.E., Burr, G.S., Cutler, K.B., Damon, P.E., Edwards, R.L., Fairbanks, R.G., Friedrich, M., Guilderson, T.P., Hogg, A.G., Hughen, K.A., Kromer, B., McCormac, F.G., Manning, S., Bronk Ramsey, C., Reimer, R.W., Remmele, S., Southon, J.R., Stuiver, M., Talamo, S., Taylor, F.W., van der Plicht, J., Weyhenmeyer, C.E., 2004b. INTCAL04 terrestrial radiocarbon age calibration, 0–26 cal kyr BP. Radiocarbon 46, 1029–1058.
- Stuiver, M., Polach, H., 1977. Reporting of ¹⁴C data. Radiocarbon 19, 355-363